

## भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

## BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बहादुर शाह जफ़र मार्ग, नई दिल्ली – 110002 Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi – 110002 दूरभाष/Phone: +91-11-23230856/2323010131/23233375/23239402 ई-मेल/E-mail: registration@bis.gov.in

वेबसाईट/Website: https://bis.gov.in/, https://www.crsbis.in/BIS/

Our Ref: REGISTRATION/CRS 2020-2461/R-96002437

Date:07-11-2020

## **Inclusion Id: 40440**

## **Subject : Inclusion of Additional Model(s)**

MANUFACTURING UNIT:	Luminous Power Technologies Pvt. Ltd KHASRA NO. 8, INDUSTRIAL AREA, PHASE -3, VILLAGE- RAM NAGAR, P.O- GAGRET, AMB, DIST UNA, HIMACHAL PRADESH- 177 201 HIMACHAL PRADESH,India-177201 shakti.tandon@luminousindia.com 91-124-4776700	
	91-124-4776700	

Dear Sir,

- 1. This has reference to your request for inclusion of models of "Storage Batteries For Solar Photovoltaic Application" as per IS 16270: 2014 in Licence No. R-96002437 already granted to you which is valid upto 19-10-2022.
- 2. It is intimated that the additional Models as per details given below have been agreed to be included in your scope of Licence. R-96002437 w.e.f. 07-11-2020:

Product Category	Storage Batteries For Solar Photovoltaic Application
Product Name	Tubular LMLA Batteries
IS No.	IS 16270 : 2014
Brand (As Declared by Manufacturer):	LUMINOUS (LABEL)
Inclusion of Additional Models (w.e.f. 07-11-2020)	LPTT12150L
Factory Address	KHASRA NO. 8, INDUSTRIAL AREA, PHASE -3, VILLAGE- RAM NAGAR, P.O- GAGRET, AMB, DIST UNA, HIMACHAL PRADESH-177 201 HIMACHAL PRADESH,India-177201

- 3. Other terms and conditions of the licence shall remain same.
- 4. This letter is being issued with the approval of competent authority.

Kindly acknowledge receipt of this letter.

Thanking you,

Yours faithfully, (Sundeep Kumar)

Sc. C

Telfax: +91-11-23230856 E-mail: registration@bis.gov.in

Note: This is a system generated letter. Hence signature is not required. To verify authentication of letter, kindly scan the QR code on this letter.

/